

OpenNebula - Feature #1096

Authorization driver is called even if no authorization module is enabled

01/30/2012 02:31 PM - Carlos Martín

Status:	Closed	Start date:	01/30/2012
Priority:	Normal	Due date:	
Assignee:	Carlos Martín	% Done:	0%
Category:	Core & System	Estimated time:	0.00 hour
Target version:	Release 3.6	Pull request:	
Resolution:	fixed		
Description			
This should be avoided for performance reasons			

Associated revisions

Revision a76be303 - 04/11/2012 04:02 PM - Carlos Martín

Feature #1096: Change authorization MAD definition to detect if there is any authZ driver enabled

Revision d8e8b9e7 - 04/13/2012 03:17 PM - Carlos Martín

Feature #1096: Update oned.conf

History

#1 - 02/01/2012 11:37 AM - Ruben S. Montero

- Target version changed from Release 3.4 - S0 to Release 3.4

#2 - 03/30/2012 03:34 PM - Ruben S. Montero

- Target version deleted (Release 3.4)

#3 - 04/10/2012 05:03 PM - Ruben S. Montero

- Target version set to Release 3.6

#4 - 04/12/2012 10:54 AM - Ruben S. Montero

- Assignee set to Carlos Martín

#5 - 04/12/2012 10:55 AM - Ruben S. Montero

- Category set to Core & System

- Status changed from New to Closed

- Resolution set to fixed