

OpenNebula - Backlog #1216

oneuser passwd should not require to specify the auth driver

04/09/2012 04:23 PM - Daniel Molina

Status: Closed	Start date: 04/09/2012
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category: CLI	Estimated time: 0.00 hour
Target version:	
Description	
When changing the serveradmin password the --sha1 or --driver server_cipher options must be specified, otherwise the password will not be hashed. The oneuser command should retrieve this value from OpenNebula instead of being specified by the user.	
Related issues:	
Related to Feature # 1353: Improve CLI commands	Closed 07/12/2012

History

#1 - 01/15/2013 09:38 AM - Ruben S. Montero

- Target version set to Release 4.0

#2 - 04/02/2013 04:18 PM - Ruben S. Montero

- Target version changed from Release 4.0 to Release 4.2

#3 - 05/09/2013 01:14 PM - Ruben S. Montero

- Category set to CLI

#4 - 05/09/2013 01:27 PM - Ruben S. Montero

- Priority changed from Normal to Low

#5 - 05/13/2013 08:14 PM - Ruben S. Montero

- Target version deleted (Release 4.2)

#6 - 12/28/2013 07:54 PM - Ruben S. Montero

- Priority changed from Low to Normal

#7 - 12/28/2013 07:55 PM - Ruben S. Montero

- Target version set to Release 4.6

#8 - 02/25/2014 03:58 PM - Jaime Melis

- Assignee set to Daniel Molina

- Target version changed from Release 4.6 to Release 4.8

#9 - 06/24/2014 02:07 AM - Ruben S. Montero

- Tracker changed from Feature to Backlog

- Assignee deleted (Daniel Molina)

- Target version deleted (Release 4.8)

#10 - 03/03/2015 12:43 PM - Ruben S. Montero

- Status changed from New to Closed

This will prevent to recover from lost passwords. As this is a maintenance operation We'll keep the current behavior.

