

OpenNebula - Feature #5136

Improve ec2 key_ids security

05/03/2017 10:04 AM - Sergio Semedi

Status:	Closed	Start date:	05/03/2017
Priority:	Normal	Due date:	
Assignee:	Sergio Semedi	% Done:	100%
Category:	Drivers - VM	Estimated time:	0.00 hour
Target version:	Release 5.4	Pull request:	
Resolution:	fixed		
Description			
<p>Ec2 driver gets all credentials from a .yam file located inside /etc, this is not the best practise for security.</p> <p>Following vcenter driver, will be nice to change ec2 driver in a similar way, deleting the .yam file and delegating credential communications to the host template (with hashing ofc).</p>			

Associated revisions

Revision a4023589 - 06/21/2017 02:21 PM - Javi Fontan

Merge pull request #351 from Semedi/master

F #5136: ec2 migrator done, new oca utils file

Revision 904edd62 - 06/28/2017 10:38 AM - Sergio Semedi

F #5136 ec2_driver.conf purge (#357)

- fix opennebula log
- F #5136 ec2_driver capacities replaced
- F #5136 required ec2 region_name template att
- F #5136 ec2_driver.conf removed regions
- F #5136 decrypt moved to oca utils

Revision 8cd7d0df - 07/06/2017 02:17 PM - Sergio Semedi

F #5136 Changes the way of create amazon ec2 hosts, ONECLI (#371)

- F #5136 (ONECLI)Type option added, displaying help to create hybrid hosts
- F #5136 added cli argument to parse file path in -t option, change comments
- F #5136 catch blocks, cod restructure

History

#1 - 06/09/2017 08:55 AM - Sergio Semedi

- % Done changed from 0 to 100

#2 - 07/06/2017 02:29 PM - Ruben S. Montero

- Category set to Drivers - VM

- Status changed from Assigned to Closed

- Target version set to Release 5.4

- Resolution set to fixed